

workagile
MAKING SPACES AGILE



MiiBox[®]

work-agile.com



workagile

making spaces agile

Workagile design and manufacture flexible furniture solutions that enable companies to adapt and flex as business needs change. We believe that a truly agile workspace will always provide choice, and Workagile furniture designs will do exactly that to any workspace.

With a focus on modular and creative designs that are inherently sustainable through the option to reconfigure and reuse, either within the existing area or in a completely new workspace, Workagile solutions will truly save you time, money and effort!

Today's hybrid focused workspaces show a growing need for adaptability, and Workagile furniture solutions support this shift, encouraging productivity through enabling better collaboration, communication and creativity.

empowering organisations
globally to create **flexible,**
dynamic and **efficient** spaces

guaranteed speech privacy

MiiBox® are tested to the new ISO 23351-1:2020, the cutting-edge standard revolutionising the acoustic landscape of workspaces, achieving Class A rating and 31dB of sound reduction.

This pioneering standard evaluates the speech reduction capabilities of phonebooths, workpods, and other furniture ensembles. A vital metric, DS,A (decibels/dB), gauges speech level reduction, forming the core of the first ISO standard dedicated to semi-enclosed furniture pieces.

Classified as A+, A, B, C, or D, acoustic office pods are distinguished by their speech level reduction efficiency. Opt for Class A+, A, or B for optimal speech privacy, ensuring conversations remain confidential and users can focus on tasks without external distractions.

Outlined in the chart below is the classification system of the standard. It's evident that for a standard office, the office pod or furniture ensemble must achieve a minimum sound reduction of 25 decibels/dB to guarantee speech privacy.

CLASS	SPEECH LEVEL REDUCTION (DS,A)	SPEECH PRIVACY GUARANTEED?
A+	> 33 decibels/dB	Yes
A	30 - 33 decibels/dB	Yes
B	25 - 30 decibels/dB	Yes
C	20-25 decibels/dB	Depends on background noise level
D	15 - 20 decibels/dB	Depends on background noise level
Unclassified	< 15 decibels/dB	No



double door entry optimising user comfort

MiiBox® 2 Person and 4 Person feature double door entry, which enables a larger interior table for better user experience/working comfort, in what is a compact, space efficient pod. It also ensures quick and easy access/exit.

This also allows the pods to be accessible for people with mobility issues, including wheelchair users, with an optional wheelchair ramp available when purchasing the pods.



integrated sliding table

MiiBox® are designed to provide versatility for both collaborative meetings and individual work sessions. MiiBox® features an innovative integrated sliding table, which allows you to effortlessly transform the pods from a cozy meeting space to a spacious working environment.

MiiBox®

features and benefits

QUALITY SOUNDPROOFING

Tested to the new ISO: 233351-1:2020 standard, keeping conversations private and muting the majority of office noise.

SLEEK AND ELEGANT DESIGN

Available in a selection of neutral colours and optional natural wood sides, giving an elegant aesthetic which compliments the majority of modern workspace architecture at an affordable price-point.

CONFIGURABLE TABLES

MiiBox® 2 Person and 4 Person come with an integrated sliding table, allowing you to transform the pods from a meeting space to a roomy working space. MiiBox® Workpod can also be upgraded with a hydraulic height-adjustable table for enhanced versatility and comfort.

FAST INSTALLATION

MiiBox® can be installed within a couple of hours, minimising disruption in the office. The optimal solution for retrofitting meeting spaces in a busy workspace!

PLUG AND PLAY

MiiBox® are powered from a 3 pin plug or a EUR 2 pin plug, our pods can simply be plugged into a nearby wall socket and be up and going in minutes.

DOUBLE DOOR ENTRY

MiiBox® 2 Person and 4 Person come with double door entry, making entry and exit easy and optimising table size.

ADJUSTABLE FEET AND CASTORS

MiiBox® come with adjustable feet, giving you flexibility to maintain a stable position even on irregular surfaces. MiiBox® Workpod, 2 person and 4 person come with castors, allowing you to easily move them.

POWER MODULES

MiiBox® come with UK Power, USB-A, USB-C and Cat 6 data port as standard, so you always have access to power up your laptops or phones.

AUTOMATIC LIGHTING AND VENTILATION

The automatic lighting and ventilation is not only energy efficient, but will make sure the air inside the pod is kept fresh, and you don't have to worry about leaving the lights on.

CUSTOMISABLE OPTIONS

MiiBox® are available in 3 finish option ranges, Standard, Oak and Lux. Add premium aesthetic options by upgrading to Fine Oak sides or acoustic Corbridge Oak slat sides.

MiiBox®

range

AVAILABLE IN 4 SIZES



MiiBox®
Phonebooth



MiiBox®
Workpod



MiiBox®
2 Person



MiiBox®
4 Person



MiiBox[®] Phonebooth

**EXTERIOR
STANDARD**



White Anthracite Black

OAK



White with Fine Oak sides Anthracite with Fine Oak sides Black with Fine Oak sides

LUX



White with acoustic Corbridge Oak slat sides Black with acoustic Corbridge Oak slat sides

HANDLES



Solid Natural Oak

**INTERIOR
WALLS**



Light Grey felt

TABLES



Fine Oak KRONOSPAN 8431 (For OAK spec)



Corbridge Oak EGGER H3395 (For STD & LUX spec)

STANDARD SPECIFICATION

EXTERNAL DIMENSIONS

STANDARD AND OAK -W: 1004 x D: 990 x H: 2250 mm
LUX - W: 1034 x D: 990 x H: 2250 mm
Recommended minimum ceiling height for installation 2500 mm

INTERNAL DIMENSIONS

W: 910 x D: 860 x H: 2030 mm

ACCESSORIES

Fixed perch desk W: 680 x D: 300 x H: 970 mm
No stool included

WEIGHT

220 kg

SOUND REDUCTION

Up to 31dB, ISO 23351-1:2020 tested, lass A rated

VENTILATION

Mechanical ventilation system (Air circulation 300m3 per hour, 3 fans)

MOTION SENSOR

PIR sensor activated lighting and ventilation

POWER SUPPLY

Power supply via a UK standard 3-pin plug or a EUR 2-pin plug with the external power outlet positioned either at the top or bottom. Choose outlet position during installation

POWER MODULE

Internal power module (1x UK socket, 1x USB-A, 1x USB-C and 1x Cat 6 data port)

INTERIOR FINISHES

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey

SAFETY GLASS

Hardened safety glass consisting of two layers of glass with inlaid film

ASSEMBLY

Assembly by 2 people in 2 hours

ADJUSTABLE FEET

5 YEAR GUARANTEE*

ACCESSORIES

- MiiBox[®] Phonebooth freestanding stool with Oak seat and Black frame (W: 500 x SH: 730 x OH: 900 mm)
- MiiBox[®] Phonebooth freestanding stool seat pad in fabric band 1, 2, 3 and 4
- MiiBox[®] Phonebooth freestanding, height adjustable stool in fabric band 1, 2, 3 and 4
- MiiBox[®] sprinkler & fire alarm cutout provision



MiiBox[®] Phonebooth freestanding, height adjustable stool



MiiBox[®] Phonebooth freestanding stool with Oak seat (Seat pad sold separately)

MiiBox® Workpod

EXTERIOR STANDARD



White



Anthracite



Black

OAK

White with
Fine Oak sidesAnthracite with
Fine Oak sidesBlack with
Fine Oak sides

LUX

White with
acoustic
Corbridge
Oak slat sidesBlack with
acoustic
Corbridge
Oak slat sides

HANDLES



Solid Natural Oak

INTERIOR WALLS



Light Grey felt

TABLES

Fine Oak
KRONOSPAN 8431
(For OAK spec)Corbridge Oak
EGGER H3395
(For STD &
LUX spec)

STANDARD SPECIFICATION

EXTERNAL DIMENSIONS

STANDARD AND OAK - W: 1500 x D: 990 x H: 2250 mm

LUX - W: 1530 x D: 990 x H: 2250 mm

Recommended minimum ceiling height for installation 2500 mm

INTERNAL DIMENSIONS

W: 1400 x D: 860 x H: 2030 mm

ACCESSORIES

Fixed desk W: 800 x D: 560 x H: 720 mm

No seating included

WEIGHT

400 kg

SOUND REDUCTION

Up to 31dB, ISO 23351-1:2020 tested, Class A rated

VENTILATION

Mechanical ventilation system (Air circulation 400m³ per hour, 4 fans)

MOTION SENSOR

PIR sensor activated lighting and ventilation

POWER SUPPLY

ACCESSORIES

MiiBox® Workpod hydraulic height adjustable desk in Fine Oak (W: 820 x D: 500 x DH: 825 mm)

MiiBox® Workpod hydraulic height adjustable desk in Corbridge Oak (W: 820 x D: 500 x DH: 825 mm)

MiiBox® tilting VESA screen mount (Compatible with 15 - 42 inch screens)

MiiBox® sprinkler & fire alarm cutout provision

Power supply via a UK standard 3-pin plug or a EUR 2-pin plug with the external power outlet positioned either at the top or bottom. Choose outlet position during installation

POWER MODULE

Internal power module (2x UK socket, 2x USB-A, 2x USB-C and 1x Cat 6 data port)

INTERIOR FINISHES

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey

SAFETY GLASS

Hardened safety glass consisting of two layers of glass with inlaid film

ASSEMBLY

Assembly by 2 people in 2 hours

ADJUSTABLE FEET AND CASTORS

5 YEAR GUARANTEE*

MiiBox® tilting VESA
screen mountMiiBox® Workpod
hydraulic height adjustable desk



**EXTERIOR
STANDARD**



White



Anthracite



Black

OAK



White with
Fine Oak sides



Anthracite with
Fine Oak sides



Black with
Fine Oak sides

LUX



White with
acoustic
Corbridge Oak
slat sides



Black with
acoustic
Corbridge Oak
slat sides

HANDLES



Solid Natural Oak

**INTERIOR
WALLS**



Light Grey felt

TABLES



Fine Oak
KRONOSPAN 8431
(For OAK spec)



Corbridge Oak
EGGER H3395
(For STD &
LUX spec)

STANDARD SPECIFICATION

EXTERNAL DIMENSIONS

STANDARD AND OAK - W: 1960 x D: 990 x H: 2250 mm

LUX - W: 1990 x D: 990 x H: 2250 mm

Recommended minimum ceiling height for installation 2500 mm

INTERNAL DIMENSIONS

W: 1870 x D: 860 x H: 2030 mm

ACCESSORIES

Sliding table W: 720 x D: 600 x H: 720 mm

No seating included

WEIGHT

400 kg

SOUND REDUCTION

Up to 31dB, ISO 23351-1:2020 tested, Class A rated

VENTILATION

Mechanical ventilation system (Air circulation 400m3 per hour, 6 fans)

MOTION SENSOR

PIR sensor activated lighting and ventilation

POWER SUPPLY

ACCESSORIES

MiiBox® 2 Person set of sofas in fabric band 1, 2, 3 and 4

MiiBox® tilting VESA screen mount (Compatible with 15 - 42 inch screens)

MiiBox® sprinkler & fire alarm cutout provision

Power supply via a UK standard 3-pin plug or a EUR 2-pin plug with the external power outlet positioned either at the top or bottom. Choose outlet position during installation

POWER MODULE

Internal power module (2x UK socket, 2x USB-A, 2x USB-C and 1x Cat 6 data port)

INTERIOR FINISHES

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey

SAFETY GLASS

Hardened safety glass consisting of two layers of glass with inlaid film

ASSEMBLY

Assembly by 2 people in 2.5 hours

ADJUSTABLE FEET AND CASTORS

5 YEAR GUARANTEE*



MiiBox® tilting VESA
screen mount



MiiBox® 2 Person
large 'sliding' table



MiiBox® 2 Person sofa



MiiBox® 4 Person

EXTERIOR STANDARD



White Anthracite Black

OAK



White with
Fine Oak sides Anthracite with
Fine Oak sides Black with
Fine Oak sides

LUX



White with
acoustic
Corbridge Oak
slat sides Black with
acoustic
Corbridge Oak
slat sides

HANDLES



Solid Natural Oak

INTERIOR WALLS



Light Grey felt

TABLES



Fine Oak
KRONOSPAN 8431
(For OAK spec)



Corbridge Oak
EGGER H3395
(For STD &
LUX spec)

STANDARD SPECIFICATION

EXTERNAL DIMENSIONS

STANDARD AND OAK - W: 1955 x D: 1280 x H: 2250 mm
LUX - W: 1985 x D: 1280 x H: 2250 mm
Recommended minimum ceiling height for installation 2500 mm

INTERNAL DIMENSIONS

W: 1870 x D: 1170 x H: 2030 mm

ACCESSORIES

Sliding table W: 1000 x D: 600 x H: 720 mm
No seating included

WEIGHT

425 kg

SOUND REDUCTION

Up to 31dB, ISO 23351-1:2020 tested, Class A rated

VENTILATION

Mechanical ventilation system (Air circulation 400m3 per hour, 6 fans)

MOTION SENSOR

PIR sensor activated lighting and ventilation

ACCESSORIES

MiiBox® 4 Person set of sofas in fabric band 1, 2, 3 and 4

MiiBox® tilting VESA screen mount (Compatible with 15 - 42 inch screens)

MiiBox® wheelchair ramp

MiiBox® sprinkler & fire alarm cutout provision

POWER SUPPLY

Power supply via a UK standard 3-pin plug or a EUR 2-pin plug with the external power outlet positioned either at the top or bottom. Choose outlet position during installation

POWER MODULE

Internal power module (2x UK socket, 2x USB-A, 2x USB-C and 1x Cat 6 data port)

INTERIOR FINISHES

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey

SAFETY GLASS

Hardened safety glass consisting of two layers of glass with inlaid film

ASSEMBLY

Assembly by 2 people in 3 hours

ADJUSTABLE FEET AND CASTORS

5 YEAR GUARANTEE*



MiiBox® wheelchair ramp

MiiBox® tilting VESA
screen mount

MiiBox® 4 Person
large 'sliding' table

MiiBox® 4 Person sofa

MiiBox®

finishes

EXTERIOR

INTERIOR

STANDARD



Black



Anthracite



White

TABLES



Corbridge Oak
EGGER H3395

HANDLES



Solid Natural Oak

WALLS



Light Grey felt

OAK



Black with
Fine Oak sides



Anthracite with
Fine Oak sides



White with
Fine Oak sides

TABLES



Fine Oak
KRONOSPAN 8431

HANDLES



Solid Natural Oak

WALLS



Light Grey felt

LUX



Black with acoustic
Corbridge Oak slat sides



White with acoustic
Corbridge Oak slat sides

TABLES



Corbridge Oak
EGGER H3395

HANDLES



Solid Natural Oak

WALLS



Light Grey felt

Further information online: work-agile.com/miibox
E&OE

19

MiiBox®


sofa and stool fabrics

BAND	SUPPLIER	FABRIC
1	Camira Camira Camira Camira Inloom Panaz	Era Citadel Gravity Rivet Alba Aston
2	Camira Camira Camira Camira Agua Agua Inloom	Advantage Main Line Flax Replay Vita Lavoro Linetta One
3	Camira Camira Camira Camira Camira	Blazer Halcyon Oceanic Synergy Yoredale
4	Kvadrat Kvadrat Kvadrat	Canvas 2 Divina 3 Remix 3

Further information online: work-agile.com/miibox
E&OE

workagile

MAKING SPACES AGILE



UK Head Office

Pineapple House, Westmead,
Aylesford, Maidstone, ME20 6XJ

+44 (0)20 3904 6688

London Showroom

41 Pear Tree Street, Clerkenwell,
London, EC1V 3AG

london@work-agile.com

Manchester Showspace

18 Lower Byrom Street,
Manchester, M3 4AP

work-agile.com