

Product Overview

MiiBox Phonebooth is a space efficient, high performing acoustic pod, designed for independent private phone calls and working. This model is part of the MiiBox family range, alongside MiiBox Workpod, MiiBox 2 person and MiiBox 4 person.

With a sleek and elegant design intent, available in a selection of neutral colours and optional natural wood sides, this pod gives an elegant aesthetic which compliments modern workspace architecture, all at an affordable price point.




Dimensions

EXTERNAL:

Standard & Oak – W:1004 x D:990 x H:2250mm
LUX – W:1034 x D:990 x H:2250mm

INTERNAL:

W:910 x D:860 x H:2030mm



Recommended minimum ceiling height for installation 2500mm (contact us to discuss if the ceiling is lower than 2.5m).

Environmental Summary

Workagile is committed to achieving its ecological targets, through the implementation of Sustainability and Environmental Policies and strategies. We aim to follow and promote good conservation practices, reduce the environmental impacts of all our activities and help our clients to do the same.

This is demonstrated in the following:

- We only use timber which originates from responsibly managed forests.
- Materials purchased have been awarded the FSC certification, showing they are sourced sustainably.
- We use durable materials, so our products last a longer lifetime.
- We design to a modular construction to ensure parts can be replaced or repaired as required, instead of replacing complete units.
- All our products are up to 90% recyclable, minimising plastics where possible.
- Our products are reconfigurable and reusable, ensuring they can easily be moved within spaces or to another location when needed.

Refer to sustainability data sheet for more details.

Electrics

Power

Power supply via a UK Standard 3-pin plug or a EUR 2-pin plug (to be specified prior to order placements). External power outlet positioned either at top or rear bottom - choose during installation. Internal power module – under desk (1x USB-A, 1x USB-C, 1x Cat 6 data port).

Lighting & Ventilation

PIR sensor activated lighting and ventilation.

Cool 4000K LED Lighting.

Mechanical ventilation system operated via PIR (Air circulation 300m³ per hour, 3 fans).

Safety

General

Weight - 220kg


Adjustable feet ensure the pod can maintain a stable position even on irregular surfaces.

Hardened safety glass consisting of two layers of glass with inlaid film.

Sprinklers

In order to meet with fire sprinkler regulations, when required, this product can accommodate a sprinkler head via a cut out. This installation would be managed per project with the Project Manager who will support the link up with the install teams and the sprinkler contractors per site.

Safe Drilling Zones



Assembly

Can be installed within 120 minutes, minimising disruption to the office & supporting faster project time lines.

Suggested - 2 hours for 2 people.

Guarantee

5 Year Guarantee - Standard products 5 years, electrical and mechanical components 1 year.

See more: <https://work-agile.com/warranty/>

Acoustics

The MiiBox Phonebooth achieves an exceptional 31dB sound reduction, ISO 23351-1:2020 tested, Class A rated.

The acoustic performance of an acoustic pod refers to its ability to reduce noise transmission primarily from inside to outside (as conversations/calls are meant to be protected). This noise reduction level can be influenced by external factors such as the surrounding environment, the ambient noise level, the pod's proximity to walls, and similar conditions. It's worth noting, there is often minor noise transmission from the outside to the inside of acoustic pods (assuming a semi-busy/noise level environment) but this is a health & safety bonus for all pod users in the event of a fire alarm or public announcements.

We have designed our acoustic pods in a way to protect speech privacy, maintaining conversations confidentiality and strengthening user focus without external distractions.

Accessories

Fixed perch desk in MFC W:680 x D:300 x H:970 mm

No stool included but available as an optional specification addition.

Other Accessories Available:

- MiiBox® Phonebooth free-standing stool with Oak seat and Black frame (W: 500 x SH: 730 x OH: 900 mm).
- MiiBox® Phonebooth free-standing stool seat pad in fabric band 1, 2, 3 and 4.
- MiiBox® Phonebooth free-standing, height adjustable stool in fabric band 1, 2, 3 and 4.
- MiiBox® sprinkler & fire alarm cut-out provision.

Interior Finishes

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey.

Product Overview

MiiBox Workpod is a space efficient, high performing acoustic pod, designed for independent private working. This model is part of the MiiBox family range, alongside MiiBox Phonebooth, MiiBox 2 person and MiiBox 4 person.

With a sleek and elegant design intent, available in a selection of neutral colours and optional natural wood sides, this pod gives an elegant aesthetic which compliments modern workspace architecture, all at an affordable price point.




Dimensions

EXTERNAL:

Standard & Oak – W:1500 x D:990 x H:2250mm
LUX – W:1530 x D:990 x H:2250mm

INTERNAL:

W:1400 x D:860 x H:2030mm



Recommended minimum ceiling height for installation 2500mm (contact us to discuss if the ceiling is lower than 2.5m).

Environmental Summary

Workagile is committed to achieving its ecological targets, through the implementation of Sustainability and Environmental Policies and strategies. We aim to follow and promote good conservation practices, reduce the environmental impacts of all our activities and help our clients to do the same.

This is demonstrated in the following:

- We only use timber which originates from responsibly managed forests.
- Materials purchased have been awarded the FSC certification, showing they are sourced sustainably.
- We use durable materials, so our products last a longer lifetime.
- We design to a modular construction to ensure parts can be replaced or repaired as required, instead of replacing complete units.
- All our products are up to 90% recyclable, minimising plastics where possible.
- Our products are reconfigurable and reusable, ensuring they can easily be moved within spaces or to another location when needed.

Refer to sustainability data sheet for more details.

Electrics

Power

Power supply via a UK Standard 3-pin plug or a EUR 2-pin plug (to be specified prior to order placements). External power outlet positioned either at top or rear bottom - choose during installation.
Internal power module – under desk (1x USB-A, 1x USB-C, 1x Cat 6 data port).

Lighting & Ventilation

PIR sensor activated lighting and ventilation.
Cool 4000K LED Lighting.

Mechanical ventilation system operated via PIR (Air circulation 400m³ per hour, 4 fans).

Safety

General

Weight - 400kg


Adjustable feet ensure the pod can maintain a stable position even on irregular surfaces.

Hardened safety glass consisting of two layers of glass with inlaid film.

Sprinklers

In order to meet with fire sprinkler regulations, when required, this product can accommodate a sprinkler head via a cut out. This installation would be managed per project with the Project Manager who will support the link up with the install teams and the sprinkler contractors per site.

Safe Drilling Zones



Assembly

Can be installed within 120 minutes, minimising disruption to the office & supporting faster project time lines.

Suggested - 2 hours for 2 people.

Guarantee

5 Year Guarantee - Standard products 5 years, electrical and mechanical components 1 year.

See more: <https://work-agile.com/warranty/>

Acoustics

The MiiBox Workpod achieves an exceptional 31dB sound reduction, ISO 23351-1:2020 tested, Class A rated.

The acoustic performance of an acoustic pod refers to its ability to reduce noise transmission primarily from inside to outside (as conversations/calls are meant to be protected). This noise reduction level can be influenced by external factors such as the surrounding environment, the ambient noise level, the pod's proximity to walls, and similar conditions. It's worth noting, there is often minor noise transmission from the outside to the inside of acoustic pods (assuming a semi-busy/noise level environment) but this is a health & safety bonus for all pod users in the event of a fire alarm or public announcements.

We have designed our acoustic pods in a way to protect speech privacy, maintaining conversations confidentiality and strengthening user focus without external distractions.

Accessories

Fixed desk in MFC W:800 x D:560 x H:720 mm

No stool included but available as an optional specification addition.

Other Accessories Available:

- MiiBox® Workpod hydraulic height adjustable desk in Fine Oak (W: 820 x D: 500 x DH: 825 mm).
- MiiBox® Workpod hydraulic height adjustable desk in Corbridge Oak (W: 820 x D: 500 x DH: 825 mm).
- MiiBox® tilting VESA screen mount (compatible with 15 - 42 inch screens).
- MiiBox® sprinkler & fire alarm cut-out provision.

Interior Finishes

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey.

Technical Data

MiiBox 2 Person

Product Overview

MiiBox 2 Person is a space efficient, high performing acoustic pod, designed for private working between 2 individuals. This model is part of the MiiBox family range, alongside MiiBox Phonebooth, MiiBox Workpod and MiiBox 4 person.

With a sleek and elegant design intent, available in a selection of neutral colours and optional natural wood sides, this pod gives an elegant aesthetic which compliments modern workspace architecture, all at an affordable price point.




Dimensions

EXTERNAL:

Standard & Oak – W:1960x D:990 x H:2250mm
LUX – W:1990x D:990 x H:2250mm

INTERNAL:

W:1870 x D:860 x H:2030mm



Recommended minimum ceiling height for installation 2500mm (contact us to discuss if the ceiling is lower than 2.5m).

Environmental Summary

Workagile is committed to achieving its ecological targets, through the implementation of Sustainability and Environmental Policies and strategies. We aim to follow and promote good conservation practices, reduce the environmental impacts of all our activities and help our clients to do the same.

This is demonstrated in the following:

- We only use timber which originates from responsibly managed forests.
- Materials purchased have been awarded the FSC certification, showing they are sourced sustainably.
- We use durable materials, so our products last a longer lifetime.
- We design to a modular construction to ensure parts can be replaced or repaired as required, instead of replacing complete units.
- All our products are up to 90% recyclable, minimising plastics where possible.
- Our products are reconfigurable and reusable, ensuring they can easily be moved within spaces or to another location when needed.

Refer to sustainability data sheet for more details.

Electrics

Power

Power supply via a UK Standard 3-pin plug or a EUR 2-pin plug (to be specified prior to order placements). External power outlet positioned either at top or rear bottom - choose during installation. Internal power module – under desk (1x USB-A, 1x USB-C, 1x Cat 6 data port).

Lighting & Ventilation

PIR sensor activated lighting and ventilation.

Cool 4000K LED Lighting.

Mechanical ventilation system operated via PIR (Air circulation 400m³ per hour, 6 fans).

Safety

General

Weight - 400kg


Adjustable feet ensure the pod can maintain a stable position even on irregular surfaces.

Hardened safety glass consisting of two layers of glass with inlaid film.

Sprinklers

In order to meet with fire sprinkler regulations, when required, this product can accommodate a sprinkler head via a cut out. This installation would be managed per project with the Project Manager who will support the link up with the install teams and the sprinkler contractors per site.

Safe Drilling Zones



Assembly

Can be installed within 150 minutes, minimising disruption to the office & supporting faster project time lines.

Suggested - 2.5 hours for 2 people.

Guarantee

5 Year Guarantee - Standard products 5 years, electrical and mechanical components 1 year.

See more: <https://work-agile.com/warranty/>

Acoustics

The MiiBox 2 Person achieves an exceptional 31dB sound reduction, ISO 23351-1:2020 tested, Class A rated.

The acoustic performance of an acoustic pod refers to its ability to reduce noise transmission primarily from inside to outside (as conversations/calls are meant to be protected). This noise reduction level can be influenced by external factors such as the surrounding environment, the ambient noise level, the pod's proximity to walls, and similar conditions. It's worth noting, there is often minor noise transmission from the outside to the inside of acoustic pods (assuming a semi-busy/noise level environment) but this is a health & safety bonus for all pod users in the event of a fire alarm or public announcements.

We have designed our acoustic pods in a way to protect speech privacy, maintaining conversations confidentiality and strengthening user focus without external distractions.

Accessories

Sliding Table in MFC W:720 x D:600 x H:720mm

No stool included but available as an optional specification addition.

Other Accessories Available:

- MiiBox® 2 Person set of sofas in fabric band 1, 2, 3 and 4.
- MiiBox® tilting VESA screen mount (compatible with 15 - 42 inch screens).
- MiiBox® sprinkler & fire alarm cut-out provision.

Interior Finishes

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey.

Product Overview

MiiBox 4 Person is a space efficient, high performing acoustic pod, designed for private working between 4 people. This model is part of the MiiBox family range, alongside MiiBox Phonebooth, MiiBox Workpod and MiiBox 2 person.

With a sleek and elegant design intent, available in a selection of neutral colours and optional natural wood sides, this pod gives an elegant aesthetic which compliments modern workspace architecture, all at an affordable price point.




Dimensions

EXTERNAL:

Standard & Oak – W:1955 x D:1280 x H:2250mm
LUX – W:1985 x D:1280 x H:2250mm

INTERNAL:

W:1870 x D:1170 x H:2030mm



Recommended minimum ceiling height for installation 2500mm (contact us to discuss if the ceiling is lower than 2.5m).

Environmental Summary

Workagile is committed to achieving its ecological targets, through the implementation of Sustainability and Environmental Policies and strategies. We aim to follow and promote good conservation practices, reduce the environmental impacts of all our activities and help our clients to do the same.

This is demonstrated in the following:

- We only use timber which originates from responsibly managed forests.
- Materials purchased have been awarded the FSC certification, showing they are sourced sustainably.
- We use durable materials, so our products last a longer lifetime.
- We design to a modular construction to ensure parts can be replaced or repaired as required, instead of replacing complete units.
- All our products are up to 90% recyclable, minimising plastics where possible.
- Our products are reconfigurable and reusable, ensuring they can easily be moved within spaces or to another location when needed.

Refer to sustainability data sheet for more details.

Electrics

Power

Power supply via a UK Standard 3-pin plug or a EUR 2-pin plug (to be specified prior to order placements). External power outlet positioned either at top or rear bottom - choose during installation. Internal power module – under desk (1x USB-A, 1x USB-C, 1x Cat 6 data port).

Lighting & Ventilation

PIR sensor activated lighting and ventilation.

Cool 4000K LED Lighting.

Mechanical ventilation system operated via PIR (Air circulation 400m³ per hour, 6 fans).

Safety

General

Weight - 425kg


Adjustable feet ensure the pod can maintain a stable position even on irregular surfaces.

Hardened safety glass consisting of two layers of glass with inlaid film.

Sprinklers

In order to meet with fire sprinkler regulations, when required, this product can accommodate a sprinkler head via a cut out. This installation would be managed per project with the Project Manager who will support the link up with the install teams and the sprinkler contractors per site.

Safe Drilling Zones



Assembly

Can be installed within 180 minutes, minimising disruption to the office & supporting faster project time lines.

Suggested - 3 hours for 2 people.

Guarantee

5 Year Guarantee - Standard products 5 years, electrical and mechanical components 1 year.

See more: <https://work-agile.com/warranty/>

Acoustics

The MiiBox 4 Person achieves an exceptional 31dB sound reduction, ISO 23351-1:2020 tested, Class A rated.

The acoustic performance of an acoustic pod refers to its ability to reduce noise transmission primarily from inside to outside (as conversations/calls are meant to be protected). This noise reduction level can be influenced by external factors such as the surrounding environment, the ambient noise level, the pod's proximity to walls, and similar conditions. It's worth noting, there is often minor noise transmission from the outside to the inside of acoustic pods (assuming a semi-busy/noise level environment) but this is a health & safety bonus for all pod users in the event of a fire alarm or public announcements.

We have designed our acoustic pods in a way to protect speech privacy, maintaining conversations confidentiality and strengthening user focus without external distractions.

Accessories

Sliding Table in MFC W:1000 x D:600 x H:720mm

No stool included but available as an optional specification addition.

Other Accessories Available:

- MiiBox® 4 Person set of sofas in fabric band 1, 2, 3 and 4.
- MiiBox® tilting VESA screen mount (compatible with 15 - 42 inch screens).
- MiiBox® sprinkler & fire alarm cut-out provision.
- MiiBox® wheelchair ramp.

Interior Finishes

Light Grey fire-retardant recyclable felt walls and commercial grade carpet in Dark Grey.